

V4.5 Specifications

September 2021

Contents

1 Overview	3
1.1 Summary	3
1.2 Service Options	3
2 Subscribing to NC*Notify	4
2.1 Enrollment	4
3 NC*Notify v4.5	5
3.1 Patient Panels	
3.2 Notifications	
3.3 Notification Files	
3.5 CCD Notifications	
4 Version History	
•	
Appendix A Secure Exchange of Patient Panels	
Setup 7	<i>,</i>
Connecting	7
Directory Structure	
Appendix B Secure Exchange of Notification Flat Files	8
Appendix B.1 Secure File Transfer (sFTP)	8
Setup 8	_
Connecting	
Directory Structure	
Appendix C Secure Exchange of HL7 v2 messages and CCDs	
Appendix C.1 Secure File Transfer (sFTP)Setup 9	
Connecting	C
Directory Structure	
Appendix C.2 Transport Layer Security (TLS)	
Setup 9	
Appendix D Patient Panel Specifications	10
Appendix D.1 Patient Panel File Name	
Appendix D.2 Replacement Patient Panel Content	
Appendix D.3 Update Patient Panel Content	
Appendix E Notification File Specifications	
Appendix E.1 File Name	
Appendix F HL7 Message Specifications	
Appendix F.1 ADT Notifications	
Appendix G CCD Specifications	22

1 Overview

1.1 Summary

NC*Notify is a subscription-based service that notifies providers as their patients receive services across the care continuum. Based on admission, discharge, and transfer (ADT) data received from more than 140 participating hospitals and on encounter data from more than 7,000 ambulatory care settings, NC*Notify real-time event notifications provide care teams with valuable information spanning geography and care settings and support state and federal efforts to focus on patient-centered care.

1.2 Service Options

NC*Notify provides two service options. NC*Notify v4.5 is targeted at organizations that can generate a patient panel, may wish to integrate notification files into their systems, and often have a high volume of patients for whom they would like to receive notifications. NC*Notify v4.5+ is suitable for organizations who want to leverage the enhanced features offered by the NC HealthConnex platform for automatically building patient panels and downstream processing and coordination of follow-up activities. The NC*Notify v4.5+ service option also has the capability to send alerts for additional events based on data in the NC HealthConnex patient longitudinal records.

2 Subscribing to NC*Notify

2.1 Enrollment

To subscribe to NC*Notify, an enrollment form must be completed and submitted to hiea@nc.gov. Staff from the North Carolina Health Information Exchange Authority (NC HIEA) will validate the enrollment to make sure that the organization wishing to enroll is eligible to receive notifications. NC HIEA staff will reach out to schedule ameeting with the subscriber to review options and specifications.

Based on these discussions, subscribers can enroll in NC*Notify v4.5 or NC*Notify v4.5+. NC HIEA will then pass the enrollment request on to NC HIEA's technical partner, SAS Institute. SAS will work with the subscriber to create a connection (if needed), create and submit patient panels, and receive notifications.

3 NC*Notify v4.5

3.1 Patient Panels

Patient panels are required for NC*Notify v4.5. Subscribers may choose to securely deliver these files to SAS via secure file transfer protocol (sFTP) or direct secure messaging (DSM). Details about these connections are provided in Appendix A. Patient panels may be updated no more than once per week. Patient panels must be updated at a minimum of once every 90 days to ensure that subscribers are receiving notifications for patients with whom they have a current relationship. At the completion of panel processing, the NC*Notify system will produce a report on any errors that need to be addressed and a summary of the records processed. This report will be placed on the SFTP for retrieval by the subscribers on the base tier.

Subscribers to NC*Notify v4.5 can choose to send a full replacement patient panel or a patient panel that updates an existing panel. When sending replacement panels, all patients will be marked for addition. When sending update panels, patients within the panel will be marked for deletion, addition, or update. The processing of the patient panel and handling of each patient is determined based on the name of the file and the first column in the file. For details on naming the files and the required format and content for patient panels, see Appendix D.

3.2 Notifications

Subscribers to NC*Notify v4.5 can choose to receive notifications via a flat file, HL7 v2 messages, or continuity of care documents (CCD). Notification files can be delivered weekly, once per day, or several times per day. HL7 and CCD messages will be delivered as soon as they are processed by NC HealthConnex.

3.3 Notification Files

A notification file will be generated for each NC*Notify v4.5 subscriber according to the schedule determined during enrollment. When a relevant event occurs, a new row will be added to the notification file. Each row of the notification file will consist of the values from the patient panel and additional information generated by NC*Notify. The demographics for patients in the notification files are taken from the subscriber's panel. This ensures better matching at the subscriber system because there is consistency between the demographics on the panel and in the notification. Duplicate events will be removed resulting in one row per event. See Appendix E for details on the notification file.

3.4 HL7 Notifications

Subscribers to NC*Notify v4.5 who would like to receive notifications as HL7 v2 will require a transport layer security (TLS) or sFTP connection to NC HealthConnex and the ability to ingest this data into their system. Details of the HL7 method and message content can be found in Appendix F.

3.5 CCD Notifications

Subscribers to NC*Notify v4.5 who would like to receive notifications as CCDs will require a TLS or sFTP connection to NC HealthConnex and the ability to ingest this data format into their system. Details of the CCD content can be found in Appendix G.

The triggering events resulting in a CCD notification include outpatient visits (e.g., ADT^A04) and inpatient discharges (e.g., ADT^A03). To receive notifications for other events, subscribers should enroll with another delivery method such as HL7 or flat-file.

4 Version History

Version 1.0 September 4, 2018

Version 2.0 May 30, 2019

Version 2.1 August 5, 2019

Version 2.1.1 August 19, 2019

Version 3 June 9, 2020

Version 3.1 July 20, 2020

Version 3.1 July 23, 2020

Version 4.0 January 22, 2020

- Updated "v3" references to "v4"
- Updated section 1 to include additional event triggers
- Added section 3.2.3 for CCD delivery
- Added place of service fields to table 4 (outbound notification file details)
- Added place of service fields to Table 1 (HL7 segments in notification messages)
- Changed VPN to TLS references

Version 4.5 September 16, 2021

- Changed required fields in the patient panel
- Added transfer messages to the outbound HL7

Appendix A Secure Exchange of Patient Panels

For sending patient panels, subscribers can choose either direct secure messaging (DSM) or sFTP panel. If DSM is chosen and the subscriber does not yet have a DSM address, one can be provided. Details on the sFTP connection are provided below.

Appendix A.1 Secure File Transfer (sFTP)

Setup

Exchanging files via sFTP with NC HealthConnex requires configuration within the SAS environments. This includes allowlisting of the sender's IP and port, as well as setup of an sFTP account for the subscriber.

Connecting

There are several methods for connecting to the sFTP server. One method is via the web portal managed by SAS. The user account provided by SAS can be used to login to this portal from the IP address configured during the setup. The sFTP server can also be reached via an FTP client or the command line if the connection is originating from the IP configured during the setup process. The same account information is used in either scenario.

Directory Structure

Regardless of the sFTP method used to connect and exchange files, the following information applies to the configuration of the directories that will be encountered. At the top level, there are two directories:

- Incoming
- Outgoing

These directories indicate the direction of exchange relative to SAS. For instance, the incoming directory is the location for files sent from the subscriber to SAS.

Appendix B Secure Exchange of Notification Flat Files

To receive notification flat files, subscribers can receive flat files via sFTP.

Appendix B.1 Secure File Transfer (sFTP)

Setup

Exchanging files via sFTP with NC HealthConnex requires configuration within the SAS environments. This includes allowlisting of the sender's IP and port, as well as setup of an sFTP account for the subscriber.

Connecting

There are several methods for connecting to the sFTP server. One method is via the web portal managed by SAS. The user account provided by SAS can be used to login to this portal from the IP address configured during the setup. The sFTP server can also be reached via an FTP client or the command line if the connection is originating from the IP configured during the setup process. The same account information is used in either scenario.

Directory Structure

Regardless of the sFTP method used to connect and exchange files, the following information applies to the configuration of the directories that will be encountered. At the top level, there are two directories:

- Incoming
- Outgoing

These directories indicate the direction of exchange relative to SAS. For instance, the outgoing directory is the location for notification files sent to the subscriber from SAS.

Appendix C Secure Exchange of HL7 v2 messages and CCDs

To receive HL7 messages or CCDs, subscribers can choose either TLS or sFTP. Details for the sFTP and TLS connections are below.

HL7 messages sent over sFTP will be batched at a frequency mutually agreed upon during the onboarding setup. HL7 messages sent over TLS connection will be processed immediately by NC*Notify and sent to subscribers.

Appendix C.1 Secure File Transfer (sFTP)

Setup

Exchanging files with NC HealthConnex via sFTP requires configuration within the SAS environments. This includes allowlisting of the IP and port of the sender, as well as setup of an sFTP account for the subscriber.

Connecting

There are several methods for connecting to the sFTP server. One method is via the web portal managed by SAS. The user account provided by SAS can be used to login to this portal from the IP address configured during the setup. The sFTP server can also be reached via an sFTP client or the command line if the connection is originating from the IP configured during the setup process. The same account information is used in either scenario.

Directory Structure

Regardless of the sFTP method used to connect and exchange files, the following information applies to the configuration of the directories that will be encountered. At the top level, there are two directories:

- Incoming
- Outgoing

These directories indicate the direction of exchange relative to SAS. For instance, the outgoing directory is the location for files sent from SAS to the subscriber. These directories are where notification files will be placed.

Appendix C.2 Transport Layer Security (TLS)

Setup

To allow sending HL7 messages to a subscriber via TLS, the NC HealthConnex team will engage with the networking team at SAS. The subscriber networking team will need to be available to apply certificates, test connectivity, and troubleshoot any issues. The following parameters will be needed for configuration:

- IP Address
- TLS Certificate

Appendix D Patient Panel Specifications

Appendix D.1 Patient Panel File Name

The inbound file should be named according to the following naming convention

• <ORGCODE>-1-<LOADTYPE>-<DATE>.csv

Where:

- <ORGCODE> will be provided by SAS.
- <LOADTYPE> will be either "Z" for overwrite (most common) or "D" incremental changes, including additions, deletions, and updates.
- <DATE> will be formatted as YYYYMMDD.

Example: PRACTICE2-1-Z-20200315.csv

Appendix D.2 Replacement Patient Panel Content

The file will be a flat text file and contain a header row and at least one row in the body. Each row in the file will contain fields delimited by a "," comma. The rows will end with the following ascii characters: carriage return (0x0D) and line feed (0x0A). All fields will be delimited, regardless of whether there is data in the field. The expected content of the body rows is depicted in the table below. The required fields are denoted by a 'Y' in the "Value Required" column. CustomFields 2 through 5 can be used to track information about a patient that a subscriber would like to see in the notification file. For example, if the patient is part of a special project or initiative, a CustomField could be used to indicate that.

Note: Only commas used to delimit fields will be included. Other commas should be removed before sending.

Replacement Patient Panel File Details

Field Name	Value	Max Length	Data Requirements
	Required		
MemberStatus	Y	6	ADD. For panels that are to be overwritten thevalue will be "ADD"
			on every row.
OrganizationID	Y	50	Alphanumeric code. Provided by NC HealthConnex.
OrganizationName	Υ	None	Full legal name of Organization. Provided by NC HealthConnex.
Practice	N	None	Practice within the organization
NPI	N	50	NPI of the Patient's Primary Care Provider (if known)
PCPName	N	None	First and Last Name of the Patient's PCP
LocalPatientID	Y	50	An ID that uniquely identifies the patient across theorganization
			such as an Enterprise ID, MRN, HICNO.
PatientLastName	Y	80	No suffixes
PatientFirstName	Y	60	No middle initials
PatientMiddleName	Y	60	
PatientNameSuffix	N	60	
DateOfBirth	Y	50	Format: YYYYMMDD
Gender	Y	50	Supported Values:
			F = Female, M = Male, U = Unknown

Address	Y	220	
City	Y	50	
State	Y	50	Standard 2-digit state code.
PostalCode	Y	5	Only basic 5-digit code required (e.g. 27613)
HomePhone	Y*	50	Numbers with no spaces or special characters.E.g. 9193334444
CellPhone	N	50	Numbers with no spaces or special characters.E.g. 9193334444
WorkPhone	N	50	Numbers with no spaces or special characters.E.g. 9193334444
SSN	Y*	50	Up to 11 characters, including dashes; can be last four only
DriversLicense	N	50	The official driver's license number
Subprogram	N	220	Alphanumeric code provided by NC HealthConnex
CustomField2	N	None	For use by Subscriber
CustomField3	N	None	For use by Subscriber
CustomField4	N	None	For use by Subscriber
CustomField5	N	None	For use by Subscriber

Y* — Panels must have either a phone number or a SSN for each record to be accepted.

Example Header Row

The header row should appear exactly as indicated below.

MemberStatus,OrganizationID,OrganizationName,Practice,NPI,PCPName,LocalPatientID,PatientL astName,PatientFirstName,PatientMiddleName,PatientNameSuffix,DateOfBirth,Gender,Address,City,State,PostalCode,HomePhone,CellPhone,WorkPhone,SSN,DriversLicense,Subprogram,CustomField2,CustomField3,CustomField4,CustomField5

Example Body Rows

Three example rows are provided below.

ADD,HOSP1,General Hospital,CityObstetrics,1234567890,4567890,Smith,Sally,Anne,,19901231,F,123 Main Street,Greensboro,NC,23456,9193334444,9191234567,5134567890,,,,program1,,,

ADD, HOSP1, General Hospital, City Family

Practice,9876543219,Dr.Jones,654321,Madison,Michael,R,Jr,19520720,M,12 Elm St. Apt.2,Raleigh,NC,27506,9198765432,9198765432,4135556666,111223333,123456,,program2,,,

ADD,PRACTICE1,Salem Pediatrics,,,,567890,Adams,Aaron,David,,20020805,M,456 Hwy 64,Holly Springs,NC,23207,9096543214,,,777889999,,,,,

Appendix D.3 Update Patient Panel Content

The file will be a flat text file and contain a header row and at least one row in the body. Each row in the file will contain fields delimited by a "," comma. The rows will end with the following ascii characters: carriage return (0x0D) and line feed (0x0A). All fields will be delimited, regardless of whether there is data in the field. The expected content of the body rows is depicted in the below table. The required fields are denoted by a 'Y' in the "Value Required" column. CustomFields 2 through 5 can be used to track information about a patient that a subscriber would like to see in the outbound result file. For example, if the patient is part of a special project or initiative, a CustomField could be used to indicate that.

Note: Only commas used to delimit fields will be included. Other commas should be removed before sending.

Incremental Patient Panel File Details

Field Name	Value Required	Max Length	Data Requirements
MemberStatus	Y	6	Supported Values: ADD,UPDATE, DELETE
OrganizationID	Y	50	Alphanumeric code. Provided by NC HealthConnex.
OrganizationName	Y	None	Full legal name of Organization. Provided by NC HealthConnex.
Practice	N	None	Practice within the organization
NPI	N	50	NPI of the Patient's Primary Care Provider (if known)
PCPName	N	None	First and Last Name of the Patient's PCP
LocalPatientID	Y	50	An ID that uniquely identifies the patient across theorganization such as an Enterprise ID, MRN, HICNO.
PatientLastName	Y	80	No suffixes
PatientFirstName	Y	60	No middle initials
PatientMiddleName	Y	60	
PatientNameSuffix	N	60	
DateOfBirth	Y	50	Format: YYYYMMDD
Gender	Y	50	Supported Values:
			F = Female, M = Male, U = Unknown
Address	Y	220	
City	Y	50	
State	Y	50	Standard 2-digit state code.
PostalCode	Y	5	Only basic 5-digit code required (e.g. 27613)
HomePhone	Y*	50	Numbers with no spaces or special characters.E.g. 9193334444
CellPhone	N	50	Numbers with no spaces or special characters.E.g. 9193334444
WorkPhone	N	50	Numbers with no spaces or special characters.E.g. 9193334444
SSN	Y*	50	Up to 11 characters, including dashes; can be last four only
DriversLicense	N	50	The official driver's license number
Subprogram	N	220	Alphanumeric code provided by NC HealthConnex
CustomField2	N	None	For use by Subscriber
CustomField3	N	None	For use by Subscriber
CustomField4	N	None	For use by Subscriber
CustomField5	N	None	For use by Subscriber

 Y^{\ast} - Panels are required to have either phone number or SSN for each record to be accepted

Example Header Row

The header row should appear exactly as indicated below.

Member Status, Organization ID, Organization Name, Practice, NPI, PCPN ame, Local Patient ID, Patient Last Name, Patient First Name, Patient Middle Name, Patient Name Suffix, Date Of Birth, Gender, Address, City, State, Postal Code, Home Phone, Cell Phone, Work Phone, SSN, Drivers License, Subprogram, Custom Field 2, Custom Field 3, Custom Field 4, Custom Field 5

Example Body Rows

Three example rows are provided below.

ADD,HOSP1,General Hospital,City Obstetrics,1234567890,4567890,Smith,Sally,Anne,19901231,F,123 Main Street,Greensboro,NC,23456,9193334444,9191234567,5134567890,,,program1,,,

UPDATE,HOSP1,General Hospital,City Family Practice,9876543219,Dr.
Jones,654321,Madison,Michael,R,Jr,19520720,M,12 Elm St.
Apt.2,Raleigh,NC,27506,9198765432,9198765432,4135556666,111223333,123456,,program2,,,

DELETE,PRACTICE1,Salem Pediatrics,,,,567890,Adams,Aaron,David,,20020805,M,456Hwy 64,Holly Springs,NC,23207,9096543214,,,777889999,,,,,

Appendix E Notification File Specifications

Appendix E.1 File Name

The Outbound Result File will be named according to the following naming convention:

• <DATETIME>_EventNotification-<ORGCODE>_results.csv

Where:

- <ORGCODE> will be provided by SAS.
- <DATETIME> will be formatted as YYYYMMDDHHMMSSmmm.

Example: 20200410052525222_EventNotification-PRACTICE2_results.csv

Outbound Notification File Details (shaded rows indicate data provided by NC*Notify)

Name	Require	Max	Data Requirements
		Length	
OrganizationID	Y	50	Alphanumeric code. Provided by NC HealthConnex
OrganizationName	Y	None	Full legal name of Organization.
organization value	1	INOTIE	Provided by NC HealthConnex.
Practice	N	None	Practice within the organization
NPI	N	50	NPI of the Patient's Primary Care Provider (if know
PCPName	N	None	First and Last Name of the Patient's PCP
LocalPatientID	Y	50	An ID that uniquely identifies the patient across organization such as an Enterprise ID, MRN, HICNO.
PatientLastName	Y	80	No suffixes
PatientFirstName	Y	60	No middle initials
PatientMiddleName	N	60	
PatientNameSuffix	N	60	
DateOfBirth	Y	50	Format: YYYYMMDD
Candan	Y	50	Supported Values:
Gender	ľ		F = Female, M = Male, U =
Address	Y	220	Unknown
City	Y	50	
State	Y	50	Standard 2-digit state code.
PostalCode	Y	5	Only basic 5-digit code required (e.g. 27613)
HomePhone	N	50	Numbers with no spaces or special characters.E.g. 9193334444
CellPhone	N	50	Numbers with no spaces or special characters.E.g. 9193334444
WorkPhone	N	50	Numbers with no spaces or special characters.E.g. 9193334444
SSN	N	50	Up to 11 characters, including dashes
DriversLicense	N	50	The official driver's license number
Subprogram	N	220	Alphanumeric code provided by NC HealthConnex
CustomField2	N	None	For use by Subscriber
CustomField3	N	None	For use by Subscriber
CustomField4	N	None	For use by Subscriber
CustomField5	N	None	For use by Subscriber
SourceFeed	Y	None	Source of the original message
SourceOrganization	Y	None	Organization where the visit took place

SourceFacility	Y	None	Facility where the visit took place
SourceDepartment	Y	None	Department or unit where the visit took place
SourceMRN	Y	None	Patient MRN associated with source organization
EventDate	Y	12	Date the event was sent to NC*Notify for processing. Format YYYYMMDDHHMM
PatientClass	Y	1	E = EMERGENCY,I = INPATIENT, O = OUTPATIENT,P = PREADMIT, R = RECURRING_PATIENT,B = OBSTETRICS, C = COMMERCIAL_ACCOUNT,N = NOT_APPLICABLE, U = UNKNOWN. UNKNOWN is used for any Patient Class not matching one of these values.(see Table 32, PV1 of NCQ Minimum Data Specifications)
EventType	Y	1	Clinical Event Type A = Admit/Visit, D = Discharge
AdmitDate	N	8	Format: YYYYMMDD
AdmitTime	N	8	Format: HHMMSS
AdmitReasonCode	N	None	
AdmitReasonDescription	N	None	
AdmitTypeCode	N	None	
AdmitTypeDescription	N	None	
ReferralInfo	N	200	Referrer First Name Last Name
DischargeDate	N	8	Format: YYYYMMDD
DischargeTime	N	8	Format: DDHHMMSS
DeathIndicator	N	3	Death Indicator. Yes or No
DeathDateTime	N	14	Format: YYYYMMDDHHMMSS
DiagnosisCode	N	None	Encounter diagnosis code. If encounter diagnosis is not available, chief complaint will be provided.
DiagnosisDescription	N	None	Encounter diagnosis description. If encounter diagnosis is not available, chief complaint will be provided.
VisitNumber	N	None	The visit number from the organization where the encounter occurred
DischargeDispositionCode	N	3	Discharge Disposition Code
DischargeDispositionDescr	N	None	Discharge Disposition Description
DischargeLocationCode	N	50	Discharge Location
DischargeLocationDescript	N	None	
AttendingPhysician	N	None	

NC HealthConnex - NC*Notify v4.5 Specifications

Example Header Row

The header row will appear exactly as indicated below.

MemberStatus,OrganizationID,OrganizationName,Practice,NPI,PCPName,LocalPatientID, PatientLastName,PatientFirstName,PatientMiddleName,PatientNameSuffix,DateOfBirth,G ender,Address,City,State,PostalCode,HomePhone,CellPhone,WorkPhone,SSN,DriversLice nse,Subprogram,CustomField2,CustomField3,CustomField4,CustomField5,SourceFeed,S ourceOrganization,SourceFacility,SourceDepartment,SourceMRN,EventDate,PatientClass,EventType,Ad mitDate,AdmitTime,AdmitReasonCode,AdmitReasonDescription,AdmitType Code,AdmitTypeDescription,ReferralInfo,DischargeDate,DischargeTime,DeathIndicato r,DeathDateTime,DiagnosisCode,DiagnosisDescription,VisitNumber,DischargeDispositionCode,DischargeDispositionDescription,DischargeLocationCode,DischargeLocationDescription,AttendingPhysician

Example Body Rows

Two example rows are provided below.

HOSP1,General Hospital,City Obstetrics,1234567890,4567890,Smith,Sally,Anne,19901231,F,123 MainStreet,Greensboro,NC,23456,9193334444,9191234567,5134567890,,,program1,,,EMR,Country Family,Country Family Practice Greensboro,345678,20200530,0,A,20200530,101521,R21,Skin Rash,3,Elective,Smith,,,,,DX-123,Cond1,33334455,7,Home,,,House

PRACTICE1,Salem Pediatrics,,,,567890,Adams,Aaron,David,,20020805,M,456 Hwy 64,Holly Springs,NC,23207,9096543214,,,777889999,,,,,,HOSPSYSTEM2,NC Hospital System,Raleigh Hospital,3West, 135793575,20200530,E,D,,,A91,Dengue Suspect,2,Urgent,,20200530,123000,Yes,20200530,,98765,2,,,,Jones

HOSP1,General Hospital,City Family Practice,987654321,Dr. Jones,654321,Madison,Michael,R,Jr,19520720,M,12 Elm St.,Apt. 2,Raleigh,NC,27506,9198765432,MC,999998888,123456,,,,,HOSPSYSTEM,NC Hospital System,Hillside Orthopedics,,8642,20200530,0,A,20200530,113000,R52,Body aches,3,Elective,Clark,,,No,,DX-345,Problem2,66778899,2,,,Wallace

Appendix F HL7 Message Specifications

HL7 Messages sent by NC*Notify will be HL7 v2.5.1 messages. They can be sent as flat files or as individual messages over a standard HL7 interface. Data sent to a subscriber is dependent on the data being sent by the organization where the event takes place. Demographics for the patients in the HL7 notifications will come from the event source.

Appendix F.1 ADT Notifications

ADT events sent to subscribers include:

- ADT^A01
- ADT^A04
- ADT^A03
- ADT^A06
- ADT^A07

ADT messages will have the following naming convention:

• <DATETIME>_EventNotification-<ORGCODE>_results.adt

Where:

- <ORGCODE> will be provided by SAS
- <DATETIME> will be formatted as YYYYMMDDHHMMSSmmm

Examples: 20200410052525222_EventNotification-PRACTICE2_results.adt 202004100525253_EventNotification-HOSP1_results.adt

HL7 Segments in Notification Messages

MSH		
MSH	MSH.1.1	Field Separator
MSH	MSH.2.1	Encoding Characters
MSH	MSH.3.1	Sending Application
MSH	MSH.4.1	Source Code (Sending Organization)
MSH	MSH.7.1	Message Date Time
MSH	MSH.9.1	Message Type
MSH	MSH.9.2	Event Trigger
MSH	MSH.9.3	Message Structure
MSH	MSH.10.1	Message Control ID
MSH	MSH.11.1	Processing ID
MSH	MSH.12.1	Version ID
EVN		
EVN	EVN.1.1	Event Type
EVN	EVN.2.1	Event Recorded Date Time
EVN	EVN.7.1	Event Organization

PID.1.1 PID.3.1 PID.3.4 PID.3.5 PID.3.6 PID.5.1 PID.5.2 PID.5.3 PID.5.4 PID.5.5 PID.5.7 PID.5.14 PID.7.1 PID.8.1	Patient Identifier NOTE: The first repetition will contain the patient identifier present in NC HealthConnex for the visit specified in the alert. The second repetition will Patient Identifier - Assigning Authority Patient Identifier - ID Type Code NOTE: In the first repetition ID Type Code will = MR. In the secon ID Type Code will = PI. Patient Identifier - Assigning Facility Patient Identifier - Assigning Facility Patient Given Name Patient Middle Name Patient Name Suffix Patient Name Prefix Patient Name Type Code Patient Name Professional Suffix
PID.3.4 PID.3.5 PID.3.6 PID.5.1 PID.5.2 PID.5.3 PID.5.4 PID.5.5 PID.5.7 PID.5.14 PID.7.1	NOTE: The first repetition will contain the patient identifier present in NC HealthConnex for the visit specified in the alert. The second repetition will Patient Identifier - Assigning Authority Patient Identifier - ID Type Code NOTE: In the first repetition ID Type Code will = MR. In the secon ID Type Code will = PI. Patient Identifier - Assigning Facility Patient Family Name Patient Given Name Patient Middle Name Patient Name Suffix Patient Name Prefix Patient Name Type Code
PID.3.5 PID.3.6 PID.5.1 PID.5.2 PID.5.3 PID.5.4 PID.5.5 PID.5.7 PID.5.14 PID.7.1	Patient Identifier - Assigning Authority Patient Identifier - ID Type Code NOTE: In the first repetition ID Type Code will = MR. In the secon ID Type Code will = PI. Patient Identifier - Assigning Facility Patient Family Name Patient Given Name Patient Middle Name Patient Name Suffix Patient Name Prefix Patient Name Type Code
PID.3.6 PID.5.1 PID.5.2 PID.5.3 PID.5.4 PID.5.5 PID.5.7 PID.5.14 PID.7.1	NOTE: In the first repetition ID Type Code will = MR. In the secon ID Type Code will = PI. Patient Identifier – Assigning Facility Patient Family Name Patient Given Name Patient Middle Name Patient Name Suffix Patient Name Prefix Patient Name Type Code
PID.5.1 PID.5.2 PID.5.3 PID.5.4 PID.5.5 PID.5.7 PID.5.14 PID.7.1	Patient Family Name Patient Given Name Patient Middle Name Patient Name Suffix Patient Name Prefix Patient Name Type Code
PID.5.2 PID.5.3 PID.5.4 PID.5.5 PID.5.7 PID.5.14 PID.7.1	Patient Given Name Patient Middle Name Patient Name Suffix Patient Name Prefix Patient Name Type Code
PID.5.3 PID.5.4 PID.5.5 PID.5.7 PID.5.14 PID.7.1	Patient Middle Name Patient Name Suffix Patient Name Prefix Patient Name Type Code
PID.5.4 PID.5.5 PID.5.7 PID.5.14 PID.7.1	Patient Name Suffix Patient Name Prefix Patient Name Type Code
PID.5.5 PID.5.7 PID.5.14 PID.7.1	Patient Name Prefix Patient Name Type Code
PID.5.7 PID.5.14 PID.7.1	Patient Name Type Code
PID.5.14 PID.7.1	
PID.7.1	Datient Name Professional Suffix
	i authi naile fiolessioliai sullix
PID.8.1	Patient DOB
	Patient Gender
PID.9.1	Patient Alias Family Name
PID.9.2	Patient Alias Given Name
PID.9.3	Patient Alias Middle Name
PID.9.4	Patient Alias Suffix
PID.10.1	Patient Race ID
PID.10.2	Patient Race Text
PID.10.3	Patient Race Coding System
PID.11.1	Patient Address Street 1
PID.11.2	Patient Address Street 2
PID.11.3	Patient Address City
PID.11.4	Patient Address State
PID.11.5	Patient Address Zip
PID.11.6	Patient Address Country
PID.11.9	Patient Address County Code
PID.13.1	Patient Telephone Home
PID.13.2	Patient Telephone Use Code
PID.13.3	Patient Telephone Equipment Type
PID.13.4	Patient Telephone Email Address
PID.13.5	Patient Telephone Country Code
PID.13.6	Patient Telephone Area Code
PID.13.7	Patient Telephone Number
PID.13.8	Patient Telephone Extension
PID.13.9	Patient Telephone Any Text
PID.14.1	Patient Telephone Business
	PID.11.3 PID.11.4 PID.11.5 PID.11.6 PID.11.9 PID.13.1 PID.13.2 PID.13.3 PID.13.4 PID.13.5 PID.13.6 PID.13.7 PID.13.8 PID.13.9

id Healthe	Torniex Tra Trochiy	V i opecificacións
PID	PID.14.6	Patient Telephone Area Code
PID	PID.14.7	Patient Telephone Number
PID	PID.14.8	Patient Telephone Extension
PID	PID.14.9	Patient Telephone Any Text
PID	PID.15.1	Patient Primary Language ID
PID	PID.15.2	Patient Primary Language Text
PID	PID.15.3	Patient Primary Language Coding System
PID	PID.16.1	Patient Marital Status ID
PID	PID.16.2	Patient Marital Status Text
PID	PID.16.3	Patient Marital Status Coding System
PID	PID.17.1	Patient Religion ID
PID	PID.17.2	Patient Religion Text
PID	PID.17.3	Patient Religion Coding System
PID	PID.19.1	Patient SSN
PID	PID.22.1	Patient Ethnicity Group ID
PID	PID.22.2	Patient Ethnicity Group Text
PID	PID.22.3	Patient Ethnicity Group Coding System
PID	PID.29.1	Patient Death Date and Time
PID	PID.30.1	Patient Death Indicator
PID	PID.33.1	Patient Last Update Date and Time
PID	PID.34.1	Patient Last Update Facility Text
PID	PID.34.2	Patient Last Update Facility ID
PID	PID.34.3	Patient Last Update Facility ID Type
PV1		
PV1	PV1.1.1	Visit Set ID
PV1	PV1.2.1	Visit Patient Class
PV1	PV1.3.1	Visit Department
PV1	PV1.3.4	Visit Facility
PV1	PV1.4.1	Visit Admit Type
PV1	PV1.7.1	Visit Doctor Attending ID
PV1	PV1.7.2	Visit Doctor Attending Family Name
PV1	PV1.7.3	Visit Doctor Attending Given Name
PV1	PV1.7.9	Visit Doctor Attending Assigning Authority
PV1	PV1.8.1	Visit Doctor Referring ID
PV1	PV1.8.2	Visit Doctor Referring Family Name
PV1	PV1.8.3	Visit Doctor Referring Given Name
PV1	PV1.8.9	Visit Doctor Referring Assigning Authority
PV1	PV1.9.1	Visit Doctor Consulting ID
PV1	PV1.9.2	Visit Doctor Consulting Family Name
PV1	PV1.9.3	Visit Doctor Consulting Given Name
PV1	PV1.9.9	Visit Doctor Consulting Assigning Authority
PV1	PV1.10.1	Visit Hospital Service

	-	-
PV1	PV1.14.1	Visit Admit Source
PV1	PV1.17.1	Visit Doctor Admitting ID
PV1	PV1.17.2	Visit Doctor Admitting Family Name
PV1	PV1.17.3	Visit Doctor Admitting Given Name
PV1	PV1.17.9	Visit Doctor Admitting Assigning Authority
PV1	PV1.19.1	Visit Number (Unique Encounter Code)
PV1	PV1.36.1	Visit Discharge Disposition
PV1	PV1.44.1	Visit Admit Date Time
PV1	PV1.45.1	Visit Discharge Date Time
PV2		
PV2	PV2.1.1	Set ID - PV2
PV2	PV2.3.1	Visit Admit Reason Code
PV2	PV2.3.2	Visit Admit Reason Description
PV2	PV2.3.3	Visit Admit Reason Coding System
DG1		
DG1	DG1.1.1	Diagnosis Set ID
DG1	DG1.3.1	Diagnosis Code
DG1	DG1.3.2	Diagnosis Code Description
DG1	DG1.3.3	Diagnosis Code Coding System
IN1		
IN1	IN1.1.1	Insurance Set ID
IN1	IN1.2.1	Insurance Plan ID
IN1	IN1.4.1	Insurance Company - Name
IN1	IN1.8.1	Insurance Group Number
IN1	IN1.12.1	Insurance Plan Date Effective
IN1	IN1.36.1	Policy Number

Example HL7 Messages

A01:

 $\label{eq:msh-action} $$MSH|^{\sim}_{BNCHIEA^2.16.840.1.113883.3.4234.2^{ISO}}$$ AGAPE^1.2.840.114350.1.13.66.3.7.2.696570.61^{ISO} |||202011021620||ADT^A01^ADT_A01||65685,76836.802137|P|2.5.1$

 $1234^{\text{Work}} \\ ^{\text{$^{\circ}$}} \\ ^{\text{$^{\circ}$}} \\ ^{\text{$^{\circ}$}} \\ |^{\text{$^{\circ}$}} \\ |^{\text{$^{\circ}$}}$

1^ISO

DG1|1||DX-ABC^Super Special^MyDxCode

A03:

 $\label{eq:msh-alpha-local} $$MSH|^{\sim}\&|NCHIEA^2.16.840.1.113883.3.4234.2^ISO|$$CFVM^2.16.840.1.113883.3.5588.2.100^ISO|||20210 2091254||ADT^A03^ADT_A03|$$65784,64464.80416|P|2.5.1$

EVN|A03|202102091254|||||Cape Fear Valley Health System PID|1||500000649^^^CFVM^MR^CFVM~5000000649^^^DUHSEPI^PI^DUHS||

INTTESTFIFTYFOUR^ROUND ONE^BLFP^^^^L||20201215|M||Asian Indian^Asian Indian^CFVM_Race|1700 COLUMBIA

AVE^^DUNN^NC^28334^USA^^^HARNETT||||ENG^ENG^CFVM_Language|
SINGLE^SINGLE^CFVM_MaritalS tatus|NONE^NONE^CFVM_Religion||00000000||| NOT
HISPANIC^NOT

HISPANIC^CFVM_Ethnicity||||||||||||||||20210209103409|| CFVM^2.16.840.1.113883.3.5588.2.100^ISO PV1|1|0|BUFLK MED^^^CFVM||||30244^PERRY-

LINDLEY^KATASHA^^^^CFVM_Clinician|||CFVH||||||10100271012||||||||||||||||2021 0209080148|20210209103405

 $DG1|1||Z00.129 ^{\texttt{Encounter}} \ for \ routine \ child \ health \ examination \ without \ abnormal \ findings ^{\texttt{I}}10$

A04:

MSH|^~\&|NCHIEA^2.16.840.1.113883.3.4234.2^ISO|HYRMC^2.16.840.1.113883.3.7770^ISO||| 20201118 1422||ADT^A04^ADT_A04|65701,69729.051267|P|2.5.1

EVN|A04|202011181422|||||Haywood Regional Medical Center PID|1||0407806^^^HYRMC^MR^HYRMC~100000483089^^^UNCHCSEPI^PI^UNCHCS||

20201117130300|20201117130300

PV2|1||^ECHO******XRAYS ALSO******

DG1|1||Z00.00^Routine general medical examination at a health care facility^I10 IN1|1|25099905^25099905|48|QTC MEDICAL VA XRAY LAB

PFT||||||19980101000000|||||||||||||||4998750

Appendix G CCD Specifications

CCD messages received as part of NC*Notify will be formatted according to the Consolidated Clinical Document Architecture Release 2.1 (CCDA R2.1) standard. They will contain longitudinal clinical data from NC HealthConnex for the patient, including demographics and spanning multiple sending organizations. Data included in the CCD sent to a subscriber is dependent on the data being sent by the organization where the event takes place.

CCD messages will have the following naming convention:

• <DATETIME>_EventNotification-<ORGCODE>_results.xml

Where:

- <ORGCODE> will be provided by SAS
- <DATETIME> will be formatted as YYYYMMDDHHMMSSmmm

Examples:

• 20200410052525222_EventNotification-PRACTICE2_results.xml 202004100525253_EventNotification-HOSP1_results.xml

More information on the CCDA R2.1 format can be found in the HL7 Implementation Guide.